
PRODUCT CATALOGUE











Emhplast

nothing less... for your animals

Company profile

Emhplast started its journey in 1973 as a mold production workshop. Over time we acquired a number of plastic injection machines and grew as plastic producers \cdot . Our production and warehouse facilities of 4,000 m² are located in Thessaloniki, Greece .

Today Emhplast is a fast growing business in the field of poultry and livestock equipment plastics production. Our products are exported in more than 10 countries and we have a constant presence in international exhibitions.

We offer to our clients:

•More than 30 years of experience in the production of molds and durable plastic products, exclusively in our facilities.

•Productive capacity that allows rapid fulfillment of large orders overseas.

•Constant improvement of existing products and introduction of new innovative products.

Ways to order By telephone +30 2310 684 279 +30 6997 155 292 Payment options Embplast BANK BIC IBAN EUROBANK ERGASIAS S.A. ERBKGRAA GR 710 260 125 0000 840 201 054 457

2. Letter of Credit

Payment by L/C can be arranged for large orders in order to allow a credit extension of up to 90 days for our clients.

Shipping options


- 1. By sea (via Thessaloniki port, FOB and C&F options available)
- 2. Road transport (for clients in Continental Europe)

Where we are



Ar. Gougousi 1 N. Eukarpia P.C. 56429 Thessaloniki Greece

page 4	POULTRY
page 19	RABBIT
page 25	PIG
page 29	SHEEP
page 33	CATTLE
page 37	PET
page 41	GARDEN



Chicks drinker 1,5 lt	Chicks drinker 3 lt
Material: Plastic (PP) Capacity: 1,5 It Characteristics: Ideal for chicks, placed on the ground.	Material: Plastic (PP) Capacity: 3 It Characteristics: Ideal for chicks, placed on the ground.
Code 🕥 🖓 LXDXH(cm) <u>k</u> € €	Code 🏹 🥎 L X D X H (cm) 🙇 €
01.063 50 - 0,14	01.062 50 45 X 30 X 115 0,26
Chicks drinker 6 lt Material: Plastic (PP) Capacity: 6 lt Characteristics: With shallow base especially for chicks.	Chicks drinker 11 lt Material: Plastic (PP) Capacity: 11 lt Characteristics: With shallow base especially for chicks.
Code (↑) (Cm) (Cm) €	Code (↑) LXDXH (cm) €
01.067 10 30 X 30 X 70 0,50	01.068 10 45 X 25 X 80 0,60
Poultry drinker 6 lt economy Material: Plastic (PP) Capacity: 6 lt Characteristics: 3 parts: tray, cone, lid. 3 25 25 Code Image: Code Image: LXDXH (cm)	Poultry drinker 11 lt conomy Material: Plastic (PP) Capacity: 6 lt Characteristics: 3 parts: tray, cone, lid
	Code Image: The state sta
01.071 10 35 X 35 X 98 0,60	01.070 10 45 X 25 X 80 0,70
L	



POULTRY



5 lt, 10 lt, 20 lt poultry drinkers with threaded plug and push in legs.

The drinkers are equipped with a new ergonomic handle with hole (for hanging) and a set of 4 push in legs, which position the drinker 7 cm above the ground, thus reducing water spillage and the risk of ground dirt dropping in the tray water.



Poultry drinker 5 ltMaterial: Plastic (PP)
Capacity: 5 lt3425342520Image: Colspan="3">Image: Colspan="3"1035 X 35 X 650,60



Poultry drinker 10 lt


Poultry drinker 20 lt



Emhplast



Automatic bar drinker, 1 m






7


POULTRY

Chicks circular feeder, 40 cm



Bar feeder 50 cm

Material: Plastic (PP) Capacity: Characteristics: 2 parts, easy cleaning.



Ð	LXDXH (cm)	kg	€	Code	Þ	LXDXH (cm)	kg	€
50	40 X 40 X 65	0,30		01.054	20	50 X 35 X 75	0,40	

Characteristics: Transparent plastic

٣


Description

kg

€


In 4 sizes.

Code



Pigeon feeders

Characteristics: Plastic, transparent lid. Capacities: 0,5 & 1,0 kg





POULTRY

Chicks feeder 1,5 kg





Poultry feeder 6 kg

Material: Plastic (PP) Characteristics: Rotating lid with hole for feed filling.



Code		LXDXH (cm)	kg	€
01.058	10	30 X 30 X 100	0,60	

Poultry feeder 18 kg

Material: Plastic (PP) Capacity: 18 kg Characteristics: Includes 4 push in legs, removable anti-waste ring.







poultry feeder Our series including 12 5, & 22 kq capacities offer: Improved design with new adjustable rod that offers adjustable cone positioning and feeding flow. Elevated perimeter wall that reduced feed spillage. Set of 4 push in legs that elevate the feeder 7 cm above ground. Plastic ergonomic handle for hanging. New plastic lid with Ø 65 mm hole for feed drop tube.

6

5

(4)

01.821

01.831

10

10

Poultry feeder 5 kgMaterial: Plastic (PP)
Capacity: 5 kg $30 \rightarrow 33$
 $30 \rightarrow 33$ $25 \rightarrow 25$ 2

32 X 32 X 72

0,65



Rain cover 12 kg

0,15



New rain covers for 12 and 22 kg feeders.



31-1	

Code	(LXDXH (cm)	kg	€
01.815	10	48 X 48 X 110	1,75	
01.825	10	48 X 48 X 110	1,75	
01.826	10	48 X 48 X 110	1,75	
01.832	10	Rain cover 22 kg	0,15	

Poultry feeder 22 kg

Material: Plastic (PP) Capacity: 22 kg





POULTRY

Automatic poultry feeders 20 & 30 kg







A

Plastic nest boxes for free range layer farms. The plastic floors are designed with a small inclination. The eggs slide to the protected shelves where they can be collected.

Our nest boxes offer the following advantages:

- Eggs remain clean
- Save broken eggs, prevent cannibalism
- Plastic material is easy to clean and offers mild temperature variations during the summer and winter months.



Laying nest – 1 m wide


Material: Plastic- metal sheet Capacity: Up to 50 hens Characteristics: Ideal for hobby farmers. The nests should be placed on a base 40-50 cm from the ground.



Code	(LXDXH (cm)	kg	€
01.078	1	102 X 52 X 18	11,0	



Laying nest – 1,5 m wide



Code	3	LXDXH (cm)	, kg	€
01.079	1	152 X 52 X 15	16,0	




12

Poultry house all in one

Hen house for hobby farmers. Capacity: 10-15 hens. With plastic floor and embedded laying nest 1 m (Code 01.078).



Ideal for any garden, with integrated automatic nipple drinking system, large feeder with external tank and collection of clean eggs externally from the plastic nest. The house includes plastic slat floor and zigzag doors that prevents intruders from entering.



40,0

01.080

1

_



The eggs are collected from the externally positioned shelves.



The house interior includes an automatic nipple drinking system which is connected to an external water tank with a capacity of 25 lt.



The house interior includes a large linear feeder with a tank that fills externally.





Borotto Incubators - Italy

24 months warranty and multi page operation manual included. Suitable for hen, pheasant, guinea fowl, quail, grey partridge, partridge, duck, mallard, goose, turkey, peacock, coturnix, pigeon, rock partridge, exotic and predator birds eggs.



Incubator Real 12 automatic

Hens-ducks 12 eggs, quails 48 eggs



Incubator Real 49 automatic

Hens-ducks 49 eggs, quails 196 eggs

kg


5,50

LXDXH(cm)

58 X 57 X 25

€

Incubator LUMIA 8 automatic



Incubator Real 24 automatic

Hens-ducks 24 eggs, quails 96 eggs



SIRIO automatic humidity control



14

49

Code

01.215

Emhplast

P



Egg washing machines Rotomaid

Description: Egg washing and sanitizing machine. Includes motorized base which oscillates gently, a water bucket with thermostatically controlled heater and a basket for egg collection / washing. Use: Neutralizes the large natural bacterial load on the egg shell, including any pathogenic species present. Reduces the risk of cross contamination with pathogens from the surface of eggs into other food substances..12 months warranty. For full operation manuals, please visit our website, www.emhplast.gr.



01.205

P

1

1

1

Code

01.205

01.206

01.207

01.207

01.206

kg

20.0

5,0

5,0

Description

Rotosan 20 kg

Rotosan 5 kg

Rotogard 5 It

€	Code	٩	LXDXH (cm)	kg	€
	01.203	1	Basket 100 eggs	-	
	01.204	1	Basket 200 eggs	-	



Plastic poultry slat

Robust plastic floor for aviaries. The floors are installed 50 cm above ground.

Egg transport box 180 eggs



39 X 20 X 22

_



Code

01.013

P

10

Comfort heating plates



€

01.261

1

kg

1,30

Electrical heating plates. They imitate the natural way with which hens keep chick warms under their feathers. Advantages:

LXDXH(cm)

56 X 51 X 37

- Up to 75% less consumption compared to conventional heating lamps.
- Simple operation, with plate height adjustment.
- Chicks develop their feathers naturally and in a natural way.
- Double safety system.

Comfort heating plate 25 x 25 cm, up to 20 chicks

15 W / 220-240 V, 1 year warranty Material: Plastic with polyurethane insulation

Comfort heating plate 40 x 60 cm, up to 55 chicks

62 W / 220-240 V, 1 year warranty Material: Plastic with polyurethane insulation




16



POULTRY

Automatic drinking systems

Our company supplies a complete series of nipple drinkers for poultry. The nipples with 180° vertical action pin are suitable for laying hens from the 16th week. The nipples with 360° side action pin are suitable for laying hens, broilers and rearing from the 1st day. For automatic drinking systems, we supply square tubes (22 mm) equipped with nipples, pressure regulators and hanging systems. Each tube has a length of 3m.



17



Automatic nests

Emhplast offers complete solutions for the installation and operation of professional poultry houses. Contact us for detailed solutions to your specific plans. Professional poultry houses consist of the following systems:


- 1. Automatic nests with egg conveyor
- 2. Automatic drinking systems
- 3. Automatic feeding systems
- 4. Plastic floor slats & galvanized metal frame





Automatic feeding systems

Our company supplies automatic feeding systems from renowned European manufacturers. Automatic feeding systems consist of 3m galvanized tubes with 45mm diameter, spiral with holes where feeding pans are adjusted (broiler, layer, cockerel, female breeder), driving units with sensor. The driving unit moves the feed from the 1st to the last pan. Hanging systems are also available in automatic or manual configuration.









Zinc p bottle	olatec hold	l sheet er	G	J.P.	Plasti with z			nolder			
:				9					00		RABBITS
Code	\bigcirc	LXDXH (cm)	kg	€	Code			L X D X H (cm)	kg	€	
01.405	10	-	0,14		01.407	10		-	0,12		
		et complete wi holder	j		S/S-p nipple			acket with			
Code	\bigcirc	LXDXH (cm)	kg	€	Code			L X D X H (cm)	kg	€	
01.419	10	-	0,05		01.241	10		-	0,05		
S/S ni	ipple	screw in			Chinc	hilla	nipp	ole			
Code	\bigcirc	LXDXH (cm)	kg	€	Code			L X D X H (cm)	kg	€	
01.301	10	-	-		01.431	10		-	-		
PVC p Roll: 10		olue, Ø 10 mm			Reduce From 22 10 mm		squar tube.	e tube to			
Code		Chi LXDXH (cm)	kg	€	Code	1		L X D X H (cm)	kg	€	
	1			1						1	
01.416	1	100 X 80 X 25	1,20		01.420	10		-	-		

End plug for round naturation for training, 1/8"	ipple	End plug for square nipple tube 22 x 22 mm
Code Image: The second se	(cm)	Code Image: The second s
Expansion connecto for square tube 22 x 22 mm	r	PVC square tube Dimensions:22X22 mm, length 2 mt.
Code Image: Code <th< td=""><td>(cm) k €</td><td>Code Image: The second s</td></th<>	(cm) k €	Code Image: The second s
The use of plastic material offers mild temperature variations for baby rabbits. The nest tray adds depth and minimizes heat loss for baby rabbits during the winter period.	Plastic nest standard48282828Code2801.4081	L X D X H (ст) К € - 1,90 -
	Plastic nest enhanced48402828Code2801.4101	L X D X H (cm)

22^L

Nest tray Plastic nest tray with sandwich, for plastic and metal nests. $39 \xrightarrow{12}{25}$	<text></text>
Code Image: blue blue blue blue blue blue blue blue	Code Image: blue blue blue blue blue blue blue blue
Cage 2 nests Rabbit cage with 2 plastic nests- compartments for 2 females. Plastic floor throughout. Includes forage rack, metal feedbox with lid and 2 bottle holders. Nests can	
be replaced by galvanized plates. Galvanized wire with 2 mm thickness.	

compartments) Illing Cuy

Rabbit cage for fattening with 8 compartments. Houses 2 rabbits per compartment. Plastic floor throughout. Includes forage rack and nipple drinking system. Galvanized wire with 2 mm thickness.

Code	٢	LXDXH (cm)	kg	€	38	30 20
01.412	1	-	11,0		Ca	



Compartment

Cage for 3 females and 1 male


Rabbit cage with 3 compartments with nests and 1 for male. Plastic floor throughout. Includes metal feedboxes with lid and 4 bottle holders. Nests can be replaced by galvanized plates. Galvanized wire with 2 mm thickness.

Code

01.413

V

1



Complete cage for siring and fattening

LXDXH(cm)

Rabbit cage with 3 floors. Plastic floor throughout. . Galvanized wire with 2 mm thickness. 1st Floor: Cage code 01.413 2nd Floor: Cage code 01.412 3rd Floor: Cage code 01.412 Includes forage racks for feeding, automatic nipple systems for drinking. Total capacity: 3 females, 1 male, 32 fattening rabbits



24^L

Code

01.414



٣



Plastic sow panel

Material: Plastic (PP) Characteristics:

Plastic sow panel, with curved surface, extra foot holds and rounded ridges for good foot safety. Slot width: 10 mm.

Connection: The panels connect together and create a unified floor. The panels are installed on raised metal bars.



Code	٢	LXDXH (cm)	kg	€
01.087	10	-	1,30	

Plastic panel for fattening

Material: Plastic (PP) Characteristics:

Plastic panel for fattening. High bearing load. Panel with 14 mm slot width for optimum hygiene. Connection: The panels connect together and create a unified floor. The panels are installed on raised metal bars..



Code	(LXDXH (cm)	, kg	€
01.088	10	-	1,20	

Drinker - feeder for farrowing pen

With clamp for mounting to slatted floors. 5 feeding places, 24 cm Ø, rim height 5.5 cm. Capacity 1.5 ltr.




Feeder for weaners

With special clamp for mounting to slatted floor, 10 feeding places. 9 ltr trough capacity. Height 8 cm, 42.5 cm Ø.



Code	(LXDXH (cm)	kg	€	Code	٢	LXDXH (cm)	kg	€
01.341	1	-	-		01.342	1	-	-	





Nipple bracket ½ inch single

Simple height adjustment. Unique construction prevents nipple from turning. 1/2" female connection for nipple, 1/2" male connection for tube connector. Height: 60 cm

Code	Description	€	111
01.110	Galvanized		***
01.111	S/S		



Nipple bracket ½ inch double

Simple height adjustment. Unique construction prevents nipple from turning. 1/2" female connection for nipple, 1/2" male connection for tube connector. Height: 60 cm

Code	Description	€	
01.112	Galvanized		
01.113	S/S		

27

Piglet drinking bowl (enameled)

Dirt repellent construction of bowl shell, easyto-operate pressure flap function and a valve with infinitely variable water regulation and through flow stop. Made from cast iron, Connection: ¹/₂" from top, Capacity: 2,5 lt/min (at 4 bar line pressure)



LXDXH(cm)

kg

2,20

Drinking bowl for pigs and sows (enameled)

Optimized pressure flap function for operating the valve with through flow regulation. Water refilling can be infinitely adjusted,. Made from cast iron, Connection: 1/2" from top, Capacity: 2,5 lt/min (at 4 bar line pressure)



€	Code		LXDXH (cm)	, kg	€
	01.122	1	-	5,30	

Fattening pig push drinker (aluminum)

Fattening pig push drinker (aluminum) painted

With push valve.

٣

1

Code

01.121

With push valve. Epoxy painted.



Emhplast





Automatic drinker for all animals (aluminum) With float valve. Capacity: 3,1 It $30^{\frac{12}{23}}$					(galva	anize ass floa	at valve.	anim	als
Code	Ŷ	LXDXH (cm)	kg	€	Code	٢	LXDXH (cm)	kg	€
01.175	1	-	2,75		01.115	1	-	2,70	
Sheep push drinker (aluminum) With push valve.					(alun	ninur ush v	ch drinker n) painted valve. Epoxy		
Code	٢	LXDXH (cm)	kg	€	Code	٢	LXDXH (cm)	kg	€
01.173	2	-	1,40		01.174	2	-	1,40	

Double automatic drinker for all animals (galvanized)

Serves 2 pens. With high resistance float valve. Capacity: 5 lt






SHEEP







	Push drinker aluminum painted With push valve. Material: aluminum Epoxy painted. \widehat{P}_{2} \widehat{P}_{2}
Code	Code 🕥 🖓 LXDXH(cm) 🖧 €
01.176 1 - 2,0	01.177 1 - 2,0
Paddle drinker for cattle-horses, cconomy Material: Enameled Flow: 12 lt/min Capacity: 1,8 lt $28 \int_{22}^{18}$	Paddle drinker for cattle-horses, enameled Material: Enameled Flow: 12 lt/min Capacity: 2,0 lt $28 \underbrace{18}_{22}$
Code 🕥 LXDXH(cm) 🖉 €	Code 🕥 Code 🤹 🤅
01.114 1 - 3,70	01.123 1 - 5,30
Paddle drinker for dairy cows, enameled Material: Enameled Flow: 16 lt/min Capacity: 4,0 lt $3_{3}^{20}_{31}$	S/S drinking bowl for cattle and horses Material: Stainless steel Flow: 20 lt/min Capacity: 6,0 lt $31 \int_{26}^{24}$
Code 🕥 🚔 L X D X H (cm) 處 €	Code 🕥 🔆 LXDXH(cm) 處 €
01.127 1 - 9,40	01.128 1 - 5,00



Plastic panel for fattening Material: Plastic (PP) **Characteristics:** Plastic panel for fattening. High bearing load. Panel with 14 mm slot width for optimum hygiene. Connection: The panels connect together and create a unified floor. The panels are installed on raised metal bars. C-R P L X D X H (cm) Code kg € 01.088 10 1,20

Heatable drinking bowl for dairy cows, horses

Material: Enameled

Flow: 12 lt/min Capacity: 1,8 lt


Heatable drinking bowl, identical in construction to Code 01.123 with additional heating shelf or warming and protection of the bowl from frost with water chamber. The additionally energy-saving insulation wool, prevent the drinking water freezing at low temperatures





Code	٢	LXDXH (cm)	kg	€	
01.125	1	-	12,50		
01.126	1		-		
		· · · · · · · · · · · · · · · · · · ·			

Transformer 100 kVA. Code: 01.126 220V transformed to 24V. Useable for two drinking bowls














38

Plastic bowls for for dogs & cats				Doubl cats		estic bowls for		& 706	
Code		Description	kg	€	Code	1	Description	kg	€
01.701	10	Diameter: 24 cm	0,42		01.705	10	Diameter: 2x15 cm	0,28	
01.702	10	Diameter: 20 cm	0,25		01.706	10	Diameter: 2x10 cm	0,10	

Slow feeding bowls for dogs & cats

Slow feeding bowls are deigned to prevent pets for swallowing their food excessively fast, thus reducing the likelihood of drowning or vomiting.



Code	Þ	Description	kg	€
01.186	1	300 ml, Ø 20 cm	0,18	
01.187	1	500 ml, Ø 25 cm	0,30	
01.188	1	1,000 ml, Ø 30 cm	0,43	



Made of aluminum, epoxy painted.



11

20

		*
		*


Code	3	LXDXH (cm)	kg	€
01.181	1	-	0,50	
01.182	1	-	0,65	






<image/>				<image/>						
Code		LXDXH (cm)	kg	€	Code	٩		L X D X H (cm)	kg	€
01.189	1	~	1,50		01.190	1			1,50	
				<image/>						
Code	٢	LXDXH (cm)	kg	€	Code	Ð	Ô	L X D X H (cm)	kg	€
01.191	1		3,10		01.192	1			5,50	








43

GARDEN













Wholesaler

Emhplast

Ar. Gougousi 1, N. Eukarpia Thessaloniki, P.C: 56 429 Greece T +30 2310 684 279 F +30 2310 686 059 info@emhplast.gr www.emhplast.gr